

HP LaserJet Enterprise 700 Printer M712 series



Blazing-fast, energy-efficient, black-and-white A3 printing

Enable high-volume, black-and-white printing on paper sizes up to A3, with capacity up to 4,600 sheets. Control costs with energy-saving features and two-sided printing. Protect sensitive business data and centrally manage printing policies.



HP LaserJet Enterprise 700 Printer M712dn



HP LaserJet Enterprise 700 Printer M712xh

Upsize and accelerate with fast A3 printing.

- Save time and keep business moving with exceptionally fast printing from this black-and-white A3 workgroup printer.
- Expand black-and-white printing options on paper sizes up to A3 with two-sided printing nearly to the edge of the page.
- Boost productivity – reload paper less often with up to 4,600-sheet capacity for high-volume printing¹.
- Replace toner cartridges easily. Choose high-capacity Original HP toner cartridges for frequent printing².

Conserve resources and help control costs.

- Save energy – HP Auto On/Auto Off and Instant-on Technology help conserve energy^{3,4}.
- Reduce paper use by up to 50% with automatic two-sided printing on this ENERGY STAR[®] qualified printer.
- Original HP toner cartridges are easily recycled for free through HP Planet Partners⁵.

Simplify IT management and safeguard data.

- Boost printing and imaging safeguards and help protect business data with fleet-level security solutions.
- Safeguard confidential data stored on the printer, with the installed HP High-Performance Secure Hard Disk⁶.
- Centralise printer management with HP Web Jetadmin which helps you monitor equipment and increase uptime⁷.
- Add security solutions such as card and badge readers through the hardware integration pocket (HIP)⁸.

Invest in a forward-thinking, easy-to-use solution.

- Extend the value of your investment – easily update and expand device capabilities with HP FutureSmart Firmware.
- Print from your smartphone or tablet from virtually anywhere with HP ePrint⁹.
- Manage jobs at the colour control panel. The easy-access USB port lets you print from flash drives.



Color touchscreen



Auto On/Off
Technology



Product walkaround

HP LaserJet Enterprise 700 M712xh printer:

1. Hardware integration pocket for solution integration (HIP)
2. Intuitive 4-line color display with 10-button keypad
3. Easy-access USB port to print files directly
4. Built-in automatic two-sided printing
5. Two 250-sheet input trays for letter and legal size media
6. 100-sheet multipurpose tray 1 handles heavy custom media up to 199 g/m²
7. 500-sheet input tray for a 1,100 total input capacity
8. 250-sheet output bin
9. HP Jetdirect Gigabit Ethernet print server
10. Hi-Speed USB 2.0 printing port
11. Hi-Speed USB 2.0 port (for connecting third party devices)
12. 800 MHz processor, 512 MB standard memory
13. HP High Performance Secure Hard Disk



Series at a glance



Model	HP LaserJet Enterprise 700 Printer M712dn	HP LaserJet Enterprise 700 Printer M712xh
Product number	CF236A	CF238A
Control panel	4-line LCD (colour text and graphics); 10-button key pad	4-line LCD (colour text and graphics); 10-button key pad
Print speed	A4: 41 ppm / 27 ipm duplex – A3: 20 ppm / 13 ipm duplex	A4: 41 ppm / 27 ipm duplex – A3: 20 ppm / 13 ipm duplex
Hardware integration pocket	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes
250-sheet tray 2	Yes	Yes
250-sheet tray 3	Yes	Yes
500-sheet tray 4	Optional	Yes
Automatic two-sided printing	Yes	Yes
HP High Performance Secure Hard Disk	Not available	Yes
ENERGY STAR® qualified	Yes	Yes

Accessories, Supplies and Support

Supplies	CF214A HP 14A Black Original LaserJet Toner Cartridge 10,000 pages
	CF214X HP 14X High Yield Black Original LaserJet Toner Cartridge 17,500 pages
	CF249A HP LaserJet CF249A 110V Maintenance/Fuser Kit 200,000 pages
	CF254A HP LaserJet CF254A 220V Maintenance/Fuser Kit 200,000 pages
Accessories	CF239A HP LaserJet 500-sheet Feeder and Tray
	CF243A HP LaserJet 1x500-sheet Feeder with Cabinet and Stand
	CF242A HP LaserJet 3x500-sheet Feeder and Stand
	CF245A HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand
	CE483A HP 512 MB 144-pin x32 DDR2 DIMM
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server
Service and support	U6205E HP 3 year Next Business Day with Defective Media Retention LaserJet M712 Hardware Support
	U6206E HP 4 year Next Business Day with Defective Media Retention LaserJet M712 Hardware Support
	U6207E HP 5 year Next Business Day with Defective Media Retention LaserJet M712 Hardware Support
	U6224PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LaserJet M712 Hardware Support
	U6221PE HP 2 year Post Warranty Next Business Day LaserJet M712 Hardware Support

Technical specifications

Model	HP LaserJet Enterprise 700 Printer M712dn	HP LaserJet Enterprise 700 Printer M712xh
Product number	CF236A	CF238A
Print speed	Up to 41 ppm black (A4); Up to 26 ipm duplex (A4) Up to 20 ppm (up to 13 ipm duplex) black (A3)	
First page out time	As fast as 10.5 sec black (A4, ready)	
Print resolution	Up to 1200 x 1200 dpi black	
Print technology	Laser	
Print area	Print margins: Top: 2 mm; Bottom: 2 mm; Left: 2 mm; Right: 2 mm	
Print languages	HP PCL 6, HP PCL 5, HP postscript 3 emulation, native PDF printing (v 1.4)	
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria-certified	
Monthly duty cycle	Up to 100,000 pages (A4), Recommended monthly page volume: 5000 to 20000	
Processor speed	800 MHz	
Display	5.08 cm, 4-line LCD (colour text and graphics); job control buttons; LED status indicators; 10-button keypad, Hardware Integration Pocket; easy access USB	
Wireless	Optional, enabled with purchase of a hardware accessory	
Connectivity	Standard: 2 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access Walkup Port; 1 Hardware Integration Pocket (HIP); Optional: 802.11b/g/n wireless LAN (station mode), other networking accessories, HP Jetdirect 2700w USB Wireless Print Server	
Network ready	Standard (built-in Gigabit Ethernet)	
Memory	Standard: 512 MB; Maximum: 1 GB	
Hard disk	Standard, 8 GB Solid State Drive (SSD)	Standard, High-Performance Secure Hard Disk, 250 GB
Media types	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum	
Paper size	Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 to 363 mm; Tray 3: 148 x 210 to 297 to 431 mm Supported metric: Tray 1, 2: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 3: A3; A4; A5; B4 (JIS); B5 (JIS)	Custom metric: Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 to 363 mm; Tray 3, 4: 148 x 210 to 297 to 431 mm Supported metric: Tray 1, 2: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 3: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 4: A3; A4; A4-R; A5; B5 (JIS)
Paper handling	Standard input: 100-sheet multipurpose tray, 2 x 250-sheet input trays Standard output: 250-sheet output bin Optional/Input: Optional 500-sheet input tray, optional 1x500-sheet paper feeder with cabinet and stand, optional 3x500-sheet paper feeder with stand, optional 3500-sheet high capacity input tray with stand (A4 only)	Standard input: 100-sheet multipurpose tray, 2 x 250-sheet input trays, 500-sheet input tray Optional/Input: Optional 1x500-sheet paper feeder with cabinet and stand, optional 3500-sheet high capacity input tray with stand (A4 only)

Model	HP LaserJet Enterprise 700 Printer M712dn	HP LaserJet Enterprise 700 Printer M712xh
Product number	CF236A	CF238A
Input capacity	Tray 1: sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 Tray 2: sheets: 250 Tray 3: sheets: 250 Maximum: Up to 4600 sheets	Tray 3: sheets: 250; sheets: 500 (tray 4)
Output capacity	Standard: Up to 250 sheets, Up to 50 envelopes, Up to 250 sheets Transparencies Maximum: Up to 250 sheets	
Paper weight	Tray 1: 60 to 199 g/m ² ; Tray 2, 3: 60 to 120 g/m ²	Tray 1: 60 to 199 g/m ² ; Tray 2, 3, 4: 60 to 120 g/m ²
Standard connectivity	2 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access Walkup Port; 1 Hardware Integration Pocket (HIP)	
What's in the box	HP LaserJet Enterprise 700 M712dn; HP Black LaserJet Toner Cartridge (~10,000 pages); Automatic duplexer for two-sided printing; Getting Started Guide, CD containing drivers and electronic documentation; Power cord	HP LaserJet Enterprise 700 M712xh Printer; HP Black LaserJet Toner Cartridge (~10,000 pages); Getting Started Guide, CD containing drivers and electronic documentation; Power cord; High-Performance Secure 250 GB Hard Disk; 500-sheet input tray
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	
Compatible operating systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1+); Mac OS X v10.6, v10.7; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd), Novell (http://www.novell.com/iprint), Linux (http://www.hplip.net), UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software), SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print), HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver)	
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2008, Windows Server 2008 R2, Windows Server 2003 (SP1+); 200 MB available hard disk space (for OS compatible hardware system requirements, see http://www.microsoft.com) Mac: Mac OS X v10.6, v10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com	
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver	
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	
Printer management	HP Web Jetadmin, HP Utility (Mac)	
Control panel	5.08 cm, 4-line LCD (colour text and graphics); job control buttons; LED status indicators; 10-button keypad, Hardware Integration Pocket; easy access USB	
Printer dimensions (W x D x H)	Minimum: 568 x 596 x 392 mm Maximum: 858 x 989 x 392 mm	Minimum: 568 x 596 x 517 mm Maximum: 858 x 989 x 517 mm
Package dimensions (W x D x H)	810 x 785 x 644 mm	825 x 800 x 1074 mm
Printer Weight	38.5 kg	49.8 kg
Package weight	45.6 kg	83.2 kg
Operating environment	Temperature: 10 to 32.5°C, Humidity: 30 to 70% RH	
Storage	Temperature: 0 to 60°C, Humidity: 10 to 90% RH	
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A)	
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 786 watts (printing), 22.1 watts (ready), 6.1 watts (sleep), 0.21 watts (off). Typical Electricity Consumption (TEC): 3.289 kW/Week. Power supply type: Built-in power supply	
Certifications	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998 +A1 +A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified	
Warranty	One-year, on-site warranty. Warranty and support options vary by product, country and local legal requirements.	

Footnotes

¹ The base paper capacity of the HP LaserJet Enterprise 700 printer M712dn is 600 sheets (2x250-sheet trays and one 100-sheet multipurpose tray). The base paper capacity of the HP LaserJet Enterprise 700 printer M712xh is 1,100 sheets (2x250-sheet trays, 1x100-sheet multipurpose tray, and 1x500-sheet tray). With optional accessories, the maximum capacity is 4,600 sheets.; ² The HP LaserJet CF214X black toner cartridge is not included; please purchase separately.; ³ HP Auto-On and Auto-Off capabilities subject to printer and settings.; ⁴ Compared with products that use traditional fusing.; ⁵ Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit: www.hp.com/recycle.; ⁶ The HP High-Performance Secure Hard Disk is only available on the HP LaserJet Enterprise 700 M712xh Printer.; ⁷ HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.; ⁸ Solutions deployed through the hardware integration pocket may require additional purchase.; ⁹ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

