

# EB-W42

## DATASHEET / BROCHURE



This WXGA-resolution device can be positioned almost anywhere to deliver years of uninterrupted presentations on a large scalable screen.

The stylishly-designed EB-W42 is ideally suited for the office or home to display crisp, clear presentations, video content and more. Enjoy an HD Ready display with a high lumens output for all-round content visibility. Reliable technology creates peace of mind with reduced product intervention and maintenance.

### Bright, vivid content on a large scalable screen

View content like never before and pick out even the finest detail with crisp, clear images with a screen size up to 320 inches. The combination of a high brightness, high contrast ratio of 15,000:1, and HD Ready content provides superior image quality and a viewing experience that is easy on the eye, even in high ambient lighting conditions.

### Years of uninterrupted meetings

With a lamp life and air filter maintenance cycle of 10,000 hours in eco mode, users won't need to worry about maintenance for up to 5 years<sup>1</sup>.

### Installation and placement flexibility

Automatic vertical and manual horizontal keystone correction provide greater flexibility as to where the projector can be placed in the room for distortion-free images and the wide optical zoom adds to the flexibility.

### Flexible connectivity for greater sharing

Built-in Wi-Fi enables easy and intuitive access to the projector from compatible smart devices using the iProjection app<sup>2</sup>. Display content with the freedom to move around and engage with your audience. Split screen capability allows content from more than one device to be displayed simultaneously without the need for two separate display devices.

## KEY FEATURES

- **HD Ready bright images**  
3LCD technology and equally high white and colour light output
- **Contrast ratio of 15,000:1**  
Deep, rich blacks and dense shadow areas
- **Wireless connectivity**  
Built-in Wi-Fi
- **Low TCO**  
Lamp and filter life of 10,000 hours
- **Versatile and flexible control**  
Project from different sources with HDMI input and mobile connectivity



**EPSON**  
EXCEED YOUR VISION

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0.59 inch with MLA (D9)

### IMAGE

Colour Light Output	3,600 lumen- 2,235 lumen (economy) in accordance with IDMS15.4
White Light Output	3,600 lumen - 2,235 lumen (economy) in accordance with ISO 21118:2012
Resolution	WXGA, 1280 x 800, 16:10
High Definition	HD ready
Aspect Ratio	16:10
Contrast Ratio	15,000 : 1
Light source	Lamp
Lamp	UHE, 210 W, 6,000 h durability, 10,000 h durability (economy mode)
Keystone Correction	Auto vertical: $\pm 30^\circ$ , Manual horizontal $\pm 30^\circ$
Colour Processing	10 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	upto 1.07 billion colours

### OPTICAL

Projection Ratio	1.30 - 1.56:1
Zoom	Manual, Factor: 1.2
Image Size	33 inches - 320 inches
Projection Distance Wide/Tele	1.68 m - 2.02 m ( 60 inch screen)
Projection Lens F Number	1.49 - 1.72
Focal Distance	16.9 mm - 20.28 mm
Focus	Manual
Offset	10 : 1

### CONNECTIVITY

USB Display Function	3 in 1: Image / Mouse / Sound
Interfaces	USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n (WiFi 4), VGA in, HDMI in, Composite in, MHL, Cinch audio in
Epson iProjection App	Ad-Hoc / Infrastructure

### ADVANCED FEATURES

Security	Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Features	AV mute slide, Built-in speaker, Direct Power on/off, Document Camera Compatible, Horizontal and vertical keystone correction, Long lamp life, MHL audio/video interface, Network projection, PC Free, Split-Screen-Function, Wireless LAN capable, iProjection set-up by QR code
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB

## EB-W42

### WHAT'S IN THE BOX

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries
- User's Manual Set
- Warranty Documents
- Carrying Case



**EPSON**  
**WORLD LEADER**  
**IN PROJECTORS**

Source: Futuresource Consulting Ltd.

**EPSON**<sup>®</sup>  
**EXCEED YOUR VISION**

---

## PRODUCT SPECIFICATIONS

---

### GENERAL

Energy Use	282 W, 203 W (economy), 0.2 W (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	302 x 237 x 82 mm (Width x Depth x Height)
Product weight	2.5 kg
Noise Level	Normal: 37 dB (A) - Economy: 28 dB (A)
Temperature	Operation 5° C - 35° C, Storage -10° C - 60° C
Humidity	Operation 20% - 80%, Storage 10% - 90%

If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling.

If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance.

**Included Software** Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network Projection

Options	Document camera
Loudspeaker	2 W
Room Type / Application	Boardroom, Portable / Huddle space, Collaboration space / Classroom
Positioning	Ceiling Mounted, Desktop
Colour	White / Black
TCO Certified	Yes

---

### OTHER

Warranty	36 months Carry in, Lamp: 36 months or 1,000 h Optional warranty extension available
----------	---

---

---

## EB-W42

---

### WHAT'S IN THE BOX

---

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries
- User's Manual Set
- Warranty Documents
- Carrying Case

## OPTIONAL ACCESSORIES

- Soft Carry Case - ELPKS69 - EB-x05/x41/x42, EH-TW6 series  
V12H001K69
- ELPLP96  
V13H010L96
- Ceiling Mount (White) - ELPMB23  
V12H003B23
- Air Filter - ELPAF32  
V13H134A32
- Active Speakers (2 x 15W) - ELPS02  
V12H467040DA
- Ceiling Pipe (700mm) - ELPP14  
V12H003P14
- Ceiling Pipe (450mm) - ELPP13  
V12H003P13
- Safety Wire - ELPWR01  
V12H003W01

EB-W42

## LOGISTICS INFORMATION

SKU	V11H845040 V11H845041
EAN code	8715946639598
Country of Origin	Philippines
Layer	6 Units



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)  
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Based on eight hours of use per day, five days a week.
2. Requires iProjection App and an internet connection – compatible with IOS, Android and Google Chromebook devices only, and file sharing limitations may apply.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

**EPSON**®