Lenovo L27i-30 66BFKAC2EU

Product

Lenovo L27i-30

Machine Type 66BF

Region EMEA

Display Size 27"

View Area 597.89x336.31 mm

Panel In-Plane Switching

Aspect Ratio 16:9

Resolution 1920x1080

Pixel Pitch 0.3114x0.3114 mm

Dot / Pixel Per Inch 82 dpi

View Angle (H / V) 178 / 178

Response Time 4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support 16.7 Million

Refresh Rate 75 Hz (Only for HDMI input)

Brightness 250 nits

Contrast Ratio 1000:1

Color Gamut 72% NTSC

Curvature None

Anti-glare Yes

Video Connector 1x HDMI 1.4, 1x VGA

USB Port None

Camera None

Microphone None

Speakers None Power Consumption (Typical / Maximum) 18W / 24W

Power Adapter Integrated

Stand Tilt Stand

Color Raven Black

Side Bezel Width 2.5 mm

Dimensions with Stand (HxWxD) 475.8x612.5x175.0 mm / 18.73x24.11x6.89 inches

Weight (Including Stand) 4.41 kg / 9.72 lbs.

Cables Included HDMI cable

Environmental Certification RoHS

Ergonomic Certification TÜV Rheinland Eye Comfort

Base Warranty 3-year

Operating System Support Support Windows 7, Windows 10

Sync Technology AMD FreeSync

Tiny Support / CPU / Platform Tiny Support, Nano Support / None / None

Ethernet / Bluetooth / Wireless None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Display Ram / Storage / Card Slot None / None / None

EAN / UPC / JAN 0195348348706 / 195348348706 / None

Announce Date 2020-01-14

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2022. All rights reserved.



Lenovo L27i-30

DISPLAY

Panel Size 27-inch

Screen Dimensions 612.49 mm x 367.69 mm

Active Area 597.89 mm x 336.31 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Backlight WLED

Aspect Ratio 16:9

Resolution 1920 x 1080

Pixel Pitch 0.3114 x 0.3114 mm

Dot/Pixel Per Inch (DPI/PPI) 82

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode) 6ms (Normal Mode)

Refresh Rate 75 Hz¹

Brightness (typical) 250 cd/m²

Contrast Ratio (typical) 1000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut 72% NTSC (CIE 1931)

Color Support (typical) 16.7 Million

Anti-Glare Yes

CONNECTIVITY

Video Signal

1 x HDMI 1.4 1 x VGA

Audio Signal 1 x Audio Out (3.5 mm)

MULTI-MEDIA

Optional Soundbar Support Yes (PN number: 0A36190)

Sync Technology AMD FreeSync^{™ 2}

Software Yes³ (Lenovo Artery, Lenovo Display Control Center)

POWFR

Power Consumption (typical/max) 18W / 24W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

Power Supply Internal

Voltage Required AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 22°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support Yes, by Tiny/Nano monitor clamp II (PN: 4XH0Z42451) & Tiny VESA mount II (PN: 4XF0N03161)

ThinkCentre M Series Nano Support Yes, by Tiny/Nano monitor clamp II (PN: 4XH0Z42451) & Nano VESA mount (PN: 4XF0V81630)

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

Bezel Width (side) 2.5 mm

Bezel Width (top/bottom) 2.5 / 22.4 mm

DIMENSIONS

Size Packed (D x H x W, mm/inch) 126.0 x 455.0 x 710.0 mm. 4.96 x 17.91 x 27.95 inches

Size Unpacked w/ Stand (D x H x W. mm/inch) (lowest position) 175.0 x 475.8 x 612.5 mm 6.89 x 18.73 x 24.11 inches

Size Unpacked w/o stand (Head Only) (D x H x W)(mm/inch)43.2 x 367.7 x 612.5 mm 1.70 x 14.48 x 24.11 inches

Weight Packed (kg/lbs.) 6.23 kg / 13.74 lbs.

Weight Unpacked (kg/lbs.) 4.41 kg / 9.72 lbs.

Weight (Monitor Head Only) (kg/lbs.) 3.60 kg / 7.94 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x HDMI cable (1.8 m) Quick setup quide

CERTIFICATION

CCC Yes

RoHS (EU 2002/95/EC) Yes

Windows Certification Windows 7. Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort Yes



¹Only with HDMI inputs ²AMD Freesync[™] is enabled for AMD Radeon[™] Series graphics cards. ³This software can be used with Windows 10 only.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A. Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo, the Lenovo, the Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo, Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation, Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others. Specifications may vary depending upon region.

SPECIAL FEATURES

Lenovo L27i-30







