# Lenovo L28u-30 65FAGAC2EU

Product

Lenovo L28u-30

Machine Type 65FA

**Region** EMEA

Display Size 28"

View Area 631.93×359.78 mm

Panel In-Plane Switching

Aspect Ratio 16:9

**Resolution** 3840x2160

Pixel Pitch 0.16×0.16 mm

Dot / Pixel Per Inch 157.35 dpi

View Angle (H / V) 178 / 178

Pixel Response Time 4 ms (Extreme mode) / 6 ms (Typical mode) / 14 ms (off mode)

**Refresh Rate** 60 Hz

Brightness 300 nits

Contrast Ratio 1000:1

Color Gamut 99% sRGB, 90% DCI-P3

Multiple Input HDMI, DP

**USB Port** None

**Camera** None

Speaker None

Power Consumption (Typical / Maximum) 31W / 48W

Power Adapter Integrated

Stand Tilt Stand

**Color** Raven Black Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 450.82x636.94x219.98 mm

Weight (Including Stand) 11.45 lb / 5.2kg

*Monitor Cable* HDMI

ENERGY STAR Yes

тсо

None EPEAT

Gold

Low Blue Light / Eye Comfort / Eyesafe Display Eye Comfort / EyeSafe Display

Base Warranty 3-year

**Operating System Support** Support Windows 7, Windows 10

Sync Technology AMD Radeon FreeSync

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

**EAN / UPC / JAN** 0194552133955

Announce Date 2019-12-26

# L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

### https://psref.lenovo.com

# PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2021. All rights reserved.



# Lenovo L28u-30

#### DISPLAY

Panel Size 28-inch

Screen Dimensions 631 93 mm x 359 78 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Backlight WLED

Aspect Ratio 16:9

Resolution 3840 x 2160

**Pixel pitch** 0.16 x 0.16 mm

Pixel Per Inch (DPI/PPI) 157.35

Viewing Angle (H x V @ CR 10:1) 178° / 178°

**Response Time** 4ms (extreme mode) 6ms (normal mode)

**Refresh Rate** 60 Hz

**Brightness (typical)** 250 cd/m<sup>2</sup>

Brightness (peak) 300 cd/m<sup>2</sup>

**Contrast Ratio** 1000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut >99% sRGB. 90% DCI-P3

Color Support (typical) 1.07 Billion

Anti-glare Yes

# CONNECTIVITY

Video Signal 1 x HDMI 2.0 1 x DP 1.2

Audio Signal 1 x Audio Out (3.5 mm)

## SPECIAL FEATURES

Sync Technology AMD FreeSvnc™\*

#### POWER

Power Consumption (typical/max) 31W / 48W

Power Consumption Sleep/Off Mode < 0.3W

Power Consumption Switch-off Mode < 0.3W

Voltage Required AC 100 to 240 V (50/60 Hz)

#### **MECHANICAL**

Tilt Angle (front/back) -5° / 22°

**VESA Mount Capability** Yes (100 x 100 mm)

Kensington Lock Slot Yes

**Cable Management** Yes

**Bezel Color** Raven Black

Bezel Width (side) 2 mm

Bezel Width (top/bottom) 2 mm / 22.8 mm

## DIMENSION

Size Packed (D x H x W, mm/inch) 127 x 452 x 738 mm / 5 x 17.80 x 29.05 inches

Size Unpacked w/ Stand  $(D \times H \times W. mm/inch)$ (lowest position) 219.98 x 450.82 x 636.94 mm / 8.66 x 17.72 x 25.08 inches

Size Unpacked w/ Stand (D x H x W, mm/inch)(highest position) 219.98 x 450.82 x 636.94 mm / 8.66 x 17.72 x 25.08 inches

Weight Packed (kg/lbs.) 7.5 kg / 16.51 lbs.

Weight Unpacked (kg/lbs.) 5.2 kg / 11.45 lbs.

## WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x HDMI cable (1.8 m) Quick setup guide

### CERTIFICATION

**ENERGY STAR Rating** 8.0

CCC Yes

EPEAT Gold

RoHS (EU 2002/95/EC) Yes

Windows Certification Window 7, Windows 10

**China Energy Efficiency Standard** Tier 1

**TÜV Rheinland Eye Comfort** Yes

**Evesafe Display Certification** Yes



Windows FreeSync

eyesafe		Low Blue Li (Hardware Solution)
LOW BLUE LIGHT	TÜVRheinland	
COLOR ACCURATE	CERTIFIED	www.bzv.com ID 0217008096











\*AMD Freesync<sup>™</sup> is enabled for AMD Radeon<sup>™</sup> Series graphics cards.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.

© 2020 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.











