ThinkVision T27i-10 61C6MAT1EU

Product

ThinkVision T27i-10

Machine Type

61C6

Region

EMEA

Display Size

27"

View Area

597.89×336.31 mm

Panel

In-Plane Switching

Aspect Ratio

16:9

Resolution

1920x1080

Pixel Pitch

0.3110x0.3110 mm

Dot / Pixel Per Inch

82 dpi

View Angle (H / V)

178 / 178

Pixel Response Time

4 ms (Extreme mode) / 6 ms (normal mode)

Refresh Rate

60 Hz

Brightness

250 nits

Contrast Ratio

1000:1

Color Gamut

72% NTSC

Multiple Input

HDMI, DP, VGA

USB Port

USB 3.0x4

Camera

None **Speaker**

Nlono

Power Consumption (Typical / Maximum)

22W / 58W

Power Adapter

Integrated

Stand

Tilt, Swivel, Height Adjust Stand

Color

Black

Side Bezel Width

2 mm

Dimensions with Stand (HxWxD)

513.3x611.9x269.8 mm

Weight (Including Stand)

14.44lb / 6.55kg

Monitor Cable

DP. VGA

ENERGY STAR

Yes

TCO

TCO 8.0

EPEAT Silver

Low Blue Light / Eye Comfort / Eyesafe Display

Eye Comfort

Base Warranty

3-year

Operating System Support

Support Windows 7, Windows 10

Sync Technology

None

CPU / Platform

None / None

Display Ram / Storage / Card Slot

None / None / None

Wireless / Ethernet / Bluetooth

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

EAN/UPC/JAN

0192330629904

Announce Date

2018-08-01

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2021. All rights reserved.



ovoda

Think Vision T27i-10

DISPLAY

Panel Size

27 inch

Screen Dimensions (H x V) (mm)

597.89 (H) × 336.31 (V)

Panel Type

In-Plane Switching

Backlight

WLFD

Aspect Ratio

16:9

Resolution

1920 x 1080

Pixel Pitch (H x V) (mm)

 0.3110×0.3110

Viewing angle (H x V)

178°/178°

Response Time (gray to gray)

4 ms (extreme mode) 6 ms (normal mode)

Brightness (typical)

250 cd/m²

Contrast Ratio (typical)

1000:1

Dynamic Contrast Ratio (typical)

Color Gamut NTSC (CIE 1931)

72%

Color Support

16.7M

CONNECTIVITY

Video Input Signals

VGA + HDMI 1.4 + DP 1.2

USB Hub

Yes

1 x USB 3.0 (Upstream)

4 x USB 3.0 (Downstream, incl. 1BC)

Cable Length

1.8 m

Audio Out

Yes (3.5 mm)

Power Consumption

22W (Typical) / 58W (max) at On mode: < 0.5W at Sleep mode; < 0.3W at Switch off mode

MULTI-MEDIA

Optional Soundbar Support

DIMENSIONS

Size Packed (D x H x W) (mm/inch)

187 x 455 x 715 mm / 7.362 x 17.913 x 28.15 inch

Size Unpacked w/stand (D x H x W) (mm/inch) (Lowest Position)

269.8 x 403.3 x 611.9 mm / 10.62 x 15.88 x 24.09 inch

Size Unpacked w/stand (D x H x W) (mm/inch) (Highest Position)

269.8 x 513.3 x 611.9 mm / 10.62 x 20.21 x 24.09 inch

Size Unpacked w/o stand (D x H x W) (mm/inch) (Head Only)

49.9 x 366.5 x 611.9 mm / 1.96 x 14.43 x 24.09 inch

Weight Packed (kg/lbs.)

9.32kg / 20.55 lbs.

Weight Unpacked (kg/lbs.)

6.55kg / 14.44 lbs.

Weight (Monitor Head Only) (kg/lbs.)

4.60kg / 10.14 lbs.

SPECIAL FEATURES

Anti-Glare

Yes

Thin Client Support (Tiny)

(by Tiny Clamp Bracket Kit+VESA mount PN:4XF0N82412+

PN:4XF0N03161)

MECHANICAL

Tilt Angle (front/back)

-5°/30°

Swivel Angle (left/right)

-45°/+45°

Lift (Max range)

110 mm

Pivot

-90°/90°

VESA Mount

Yes (100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black







0°C to 40°C

Bezel Width (Side)

Monitor with stand

1 x Power cable

1 x DP-DP cable

1 x USB 3.0 cable

Quick setup guide

CERTIFICATIONS

8.0

CCC

Yes

TCO

8.0

EPEAT

Silver

ULE

Gold

Tier 2

ENERGY STAR Rating

Windows Certification

Windows 7, Windows 10

Eye Comfort Certification

China Energy Efficiency Standard

Ambient Operating Temperature

1 x VGA cable

WHAT'S IN THE BOX

1 x HDMI cable (NA only)

2.0 mm







© 2020 Lenovo. All rights reserved. Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks or service marks of others.











