KYOCERA ECOSYS PA3500cx Colour 1200 x 1200 DPI A4

Brand: KYOCERA Product code: 1102YJ3AU0

Product name: ECOSYS PA3500cx

- Double-sided print
- Data overwrite and encryption, Trusted Platform Module, Secure Boot and Run Time Integrity Check, S/MIME and TLS 1.3
- Compact design with full functionality
- Strenghen affinity with Microsoft Universal Print
- Exceptional low waiting time to get your first page out
- Low running costs and high productivity

A4, 35 ppm, 1200 x 1200 dpi, 466 W

KYOCERA ECOSYS PA3500cx Colour 1200 x 1200 DPI A4:

Made for medium to large-size work groups, this A4 colour device is integrated with Kyocera long-life components that help to reduce waste and ensure exceptional levels of reliability. KYOCERA ECOSYS PA3500cx. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 10000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 35 ppm, Duplex printing. Product colour: White





Printing		Paper handling			
Duplex printing mode Print speed (colour, normal quality, A4/US Letter) Colour * Print technology *	Auto 35 ppm ✓ Laser	Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes	A4 Banner, Plain paper, Pre-printed A4, A5, A6 B5, B6 Folio, Legal, Letter		
Duplex printing *	✓	Ports & interfaces			
Maximum resolution *	1200 x 1200 DPI		,		
Print speed (black, normal quality, A4/US Letter) *	35 ppm	USB port * USB 2.0 ports quantity	2		
Duplex print speed (colour, normal quality, A4/US Letter)	17.5 ppm	Network			
Duplex print speed (white, normal quality, A4/US Letter) Warm-up time	17.5 ppm 23 s	Wi-Fi * Ethernet LAN * Ethernet LAN data rates	X √ 10,100,1000 Mbit/s		
Time to first page (black, normal)	5.7 s	Performance			
Time to first page (colour, normal) Economical printing	5.7 s ✓	Internal memory * Sound pressure level (printing)	1024 MB 51 dB		
Features		Sound power level (standby)	30 dB		
Maximum duty cycle *	10000 pages per month	Design			
Recommended duty cycle Printing colours * Number of print cartridges *	1000 - 3500 pages per month Black, Cyan, Magenta, Yellow 4 OpenXPS, PCL 5c, PCL 6, PCL XL,	Market positioning * Product colour * Built-in display *	Business White		
Page description languages *	PML, PWG, PostScript 3, TIFF, URF,	Power			
Input & output capacity Total number of input trays *	XPS 2	Power consumption (printing) * Power consumption (ready) AC input voltage	466 W 56 W 220 - 240 V		
Total input capacity *	650 sheets	AC input frequency	50/60 Hz		
Total output capacity *	250 sheets 100 sheets 5 2300 sheets 250 sheets	System requirements			
Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity Maximum output capacity		Windows operating systems supported	✓		
		Mac operating systems supported	Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		
		Weight & dimensions			
		Width	394 mm		

				_						
w	eic	'nľ	١t	N.	MI	m	en	C.	nη	

 Depth
 531.5 mm

 Height
 392.5 mm

 Weight
 32 kg

