

# WorkForce Pro WF-C579RDWF



Naš najnoviji RIPS MFD štampa za format A4 ima veliku brzinu štampanja, skeniranja i kopiranja, zauzima malo prostora, ima nisku ukupnu cenu posedovanja i mali uticaj na životnu sredinu.

Povećajte produktivnost u radu zahvaljujući i manjem broju intervencija, bržem štampanju prve stranice i bezbednim pravilima štampanja i radnim postupcima. A uz to smanjujete troškove štampanja i uticaj na životnu sredinu. Veliki prinosi mastila koji se broje na 50.000 crno-belih stranica i 20.000 stranica u boji, velika brzina dupleks skeniranja i veliki izbor rešenja za radne postupke u firmi – ovaj štampač može biti mašinom za kancelarije.

## Niski troškovi rada

Veliki prinos mastila smanjuje potrebu za estim naručivanjem i postavljanjem materijala i omogućava predvidljive troškove štampanja i konkurentsku ukupnu cenu posedovanja. A tehnologija inkdžet štampača sa manjim brojem zamenskih delova smanjuje skrivene troškove servisiranja i intervencija.

## Velika produktivnost

Produktivnost je povećana zahvaljujući i vremenu štampanja prve crno-bele stranice od 4,8 sekunde i stranice u boji od 5,3 sekunde u režimu rada, brzini štampanja do 24 stranica u boji i crno-belih stranica u minuti (brzina ISO štampe) i brzom dupleks skeniranju od 60 fotografija u minuti. Zbog poboljšane izdržljivosti od 240 hiljada stranica možete da štampate više tokom dužeg perioda. Maksimalan kapacitet papira od 1330 listova znači da ćete provoditi manje vremena dopunjujući i papir.

## Mali uticaj na životnu sredinu

Pored ubrzanog štampanja uticaj štampanja na životnu sredinu smanjuje se i zbog manje količine toplote potrebne štampaču. Inkdžet tehnologijom, odnosno dobijate rešenje koje koristi malo energije i koje nema veliku potrebu za materijalima. Veliki prinos mastila znači i manje otpada od materijala. A možete biti sigurni i da ćete imati manje prašine od tonera i manje emisija gasa ozona.

## Osmišljen za posao

Kompatibilnost sa velikim izborom rešenja. Povećajte produktivnost i nadgledajte korišćenje štampača putem serverskog administratora za štampanje Epson. Kontrolišite i analizirajte grupu štampača, te upravljajte njom pomoću administratora za uređaje Epson. Upravljajte naprednim funkcijama skeniranja uz slanje na određeno mesto (eng. push scanning) pomoću funkcije Document Capture Pro. Iskoristite prednosti rešenja naših partnera, kao što su Nuance, PaperCut i Y Soft, koje možete prilagoditi svojim poslovnim potrebama.

## DATASHEET / BROCHURE



## GLAVNE OSOBINE

- **Niski troškovi rada**  
Iskoristite prednosti niske ukupne cene posedovanja
- **Brzo štampanje prve stranice**  
od 4,8 sekunde za crno-bele stranice i 5,3 sekunde za stranice u boji u režimu rada
- **Velika brzina skeniranja**  
ADF za dupleks skeniranje u jednom prolasku papiru kapaciteta od 60 fotografija u minuti
- **Smanjite uticaj na životnu sredinu**  
Manja potrošnja energije smanjuje emisije CO<sub>2</sub>, nema emisija gasa ozona
- **Koristite štampač uz veliki izbor rešenja**  
Softver za upravljanje štampanjem i skeniranjem

## SPECIFIKACIJE PROIZVODA

### TEHNIKA

Printing Method	PrecisionCore™ Print Head
Konfiguracija sapnica	800 Sapnice, crno, 800 Sapnice po boji
Minimalna veli ina kapljice	3,8 pl, With Variable-Sized Droplet Technology
Tehnologija tinte	Replaceable Ink Pack System (RIPS)
Snaga	Srednja radna grupa
Više funkcija	Print, Skeniranje, Kopija, Fax

### PISANJE

Vreme do prve strane	Monohrom 4,8 Sekunde, Colour 5,3 Sekunde
Brzina štampanja ISO/IEC 24734	24 Pages/min Monohrom, 24 Pages/min Colour
Duplex Printing Speed ISO/IEC 24734	15 A4 Pages/min Monohrom, 15 A4 Pages/min Colour
Maximum Printing Speed	34 Pages/min Monohrom (plain paper 75 g/m <sup>2</sup> ), 34 Pages/min Colour (plain paper 75 g/m <sup>2</sup> )
Rezolucija štampanja	4.800 x 1.200 DPI
Volumen štampanja	50.000 Pages per month Maksimalan broj odštampanih stranica na mese nom nivou prema performansama štampa a, uključujući uju i brzinu štampanja prema ISO standardu i mogu nositi upravljanja papirom.
Recommended Duty Cycle	400 - 4.500 Pages per month
Boje	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

### SKENIRANJE

Scanning Speed	30 ipm ( Monochrome, Single-sided, 200 dpi, ADF ); 30 ipm ( Colour, Single-sided, 200 dpi, ADF ); 60 ipm ( Monochrome, Double-sided, 200 dpi, ADF ); 60 ipm ( Colour, Double-sided, 200 dpi, ADF ); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); 5 sec/page ( Colour, 200 dpi, Flatbed );
Rezolucija skeniranja	1.200 DPI x 2.400 DPI (vodoravno x uspravno)
Optical Resolution (ADF)	1.200 DPI x 2.400 DPI (vodoravno x uspravno)
Napredna integracija dokumenata	Scan to E-mail, Skeniranje za FTP, Skeniranje za mrežni direktorij, Computer (Epson Document Capture Pro), USB Memory Device / Card
Izlazni formati	Skeniranje u JPEG, Skeniranje u TIFF, Skeniranje u PDF
Tip skenera	Senzor za prepoznavanje slike (CIS)

### SLANJE FAKSA

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCIT/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	200 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Funkcije faksa	Slanje faksa preko PC-a, Faks na e-mail, Primanje i memorisanje, Auto Redial, Brzi izbor, Fax to Folder, Address Book, Broadcast Fax

## WorkForce Pro WF-C579RDWF

### OBIM ISPORUKE

- Dokumentacija garancije
- Quick Setup Guide
- Driveri i pomoćni programi (CD)
- Uputstvo za upotrebu (CD)
- Strujni kabl
- Initialization Ink Supply Units

## SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C579RDFW

### COPY

Copy Speed	do 22 ipm Black, do 22 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999
Maximum Copy Size	A4

### CONNECTIVITY

Protokoli za mrežno štampanje	LPR, FTP, IPP, LDP, Port 9100, WSD-Print
Protokoli za upravljanje mrežom	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, ENPC, SLP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE 802.1X, ARP, GARP, EAP, ICMP, IGMP, DNS-SD, HTTPS, XMPP, LDAP, LDAPS, SNMP 3.0, SNMP Trap
Network Scanning Protocols	WSD-Scan, FTP
Priklju ci	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 2.0 Tip A (2x)
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPSEC

### SPECIFIKACIJE PAPIRA I SENZORI

Formati papira	A4 (21.0x29,7 cm), A5 (14,8x21,0 cm), A6 (10,5x14,8 cm), B5 (17,6x25,7 cm), B6 (12,5x17,6 cm), C4 (Envelope), C6 (koverta), DL (koverta), No. 10 (koverta), Pismo, Pravne informacije, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, EXE, Definisano od strane korisnika
Automatsko uvla enje dokumenta	50 Stranice
Odgovaraju a težina papira	64 g/m <sup>2</sup> - 256 g/m <sup>2</sup>
Dvostrano	Da
Standard Paper input	250 Sheets Standardno, 80 Sheets MP tray
Kapacitet spremnika za izdavanje papira	150 Sheets
Kapacitet spremnika za papir	330 Sheets Standardno, 1.330 Sheets maksimalno
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	500-Sheet paper tray
Rear paper path (special media)	Da
Broj ladica za papir	2

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, Legal, Executive
Custom sizes	Min 64x 127 mm to Max 215,9x 6.000 mm
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
Paper Capacity 1	80 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, HLT, Executive
Custom sizes	Min 89x 127 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m <sup>2</sup> - 300 g/m <sup>2</sup>
Paper Capacity 1	250 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

### PAPER FEED C2

Paper Input Name	C2
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, LGL, Executive
Custom sizes	Min 100x 148 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

## SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C579RDWF

### PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

### PAPER FEED C3

Paper Input Name	C3
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 100x 148 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m <sup>2</sup> - 160 g/m <sup>2</sup>
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

### OP ENITO

Potrošnja energije	29 W (standalone copying, ISO/IEC 24712 pattern), 1,3 W (sleep mode), 14 W Spreman, 0,2 W (iskljujiti), TEC 0,19 kWh/week
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Dimenzije	425 x 535 x 413 mm (Širina x Dubina x Visina)
Težina	23 kg
Kompatibilni operativni sistemi	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12.x, Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2
Ja ina buke	Rad: 6,7 B (A)
Pritisak buke	Rad: 53 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
Snabdevanje strujom	220V, 240V

### ADDITIONAL FEATURES

Funkcije	Dodirni ekran, Direct Print, Direct scan-to-print without PC, Direct print from USB
LC displej	Tip: Obojeni, Dodirni ekran, Dijagonala: 10,9 cm
Obrada medija	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

### OSTALE FUNKCIJE

Emulacije	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7
-----------	---

## POTROŠNI MATERIJAL

● WorkForce Pro WF-C529R / C579R Magenta XL Ink Supply Unit	C13T01C300	5.000 pages
● WorkForce Pro WF-C529R / C579R Yellow XL Ink Supply Unit	C13T01C400	5.000 pages
● WorkForce Pro WF-C529R / C579R Cyan XL Ink Supply Unit	C13T01C200	5.000 pages
● WorkForce Pro WF-C529R / C579R Black XL Ink Supply Unit	C13T01C100	10.000 pages
● WorkForce Pro WF-C529R / C579R Black XXL Ink Supply Unit	C13T01D100	50.000 pages
● WorkForce Pro WF-C529R / C579R Cyan XXL Ink Supply Unit	C13T01D200	20.000 pages
● WorkForce Pro WF-C529R / C579R Magenta XXL Ink Supply Unit	C13T01D300	20.000 pages
● WorkForce Pro WF-C529R / C579R Yellow XXL Ink Supply Unit	C13T01D400	20.000 pages
● Maintenance box	C13T671600	

## OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette  
C12C932871
- Low Cabinet for WF-5000 series  
7112286

## INFORMACIJE O LOGISTICI

SKU	C11CG77401
Šifrirane trake	8715946653419
Zemlja porekla	Indonesia
Veli ina palete	2 Komad

## WorkForce Pro WF-C579RDWF

### INK YIELD DATA



●	10.000 strane*	50.000 strane*
● ● ●	5.000 strane*	20.000 strane*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



EWE COMP d.o.o.  
Cara Dusana 212, Zemun  
Tel: +381 11 3535 500  
[www.ewe.rs](http://www.ewe.rs)

ATOM PARTNER d.o.o.  
Sindjeliceva 9, Beograd  
Tel: +381 11 2090804  
[www.atompartner.com](http://www.atompartner.com)

Robne marke ili registrovane robne marke vlasništvo su Seiko Epson Corporation ili njihovih odgovaraju ih vlasnika. Informacije o proizvodima podložne su promenama bez prethodne najave.

**EPSON**®