

WorkForce Pro WF-C878RDWF

DATASHEET / BROCHURE



Smanjite prekide u radu i troškove i poboljšajte održivost sa ovim izuzetno pouzdanim poslovnim multifunkcionalnim inkdžet štampa em

Uz multifunkcionalni štampa WorkForce Pro RIPS WF-C878R kompanije Epson smanji ete potrošnju energije i prekide u radu dok e produktivnost ostati na istom visokom nivou. Na ovom izuzetno pouzdanom poslovnom multifunkcionalnom inkdžet štampa u korisnici mogu da odštampaju do 20.000 stranica bez zamene potrošnog materijala.¹

Štampanje velikog obima

Ovaj multifunkcionalni štampa koji zahteva mali broj intervencija korisnika štampa i do 20.000 crno-belih stranica ili stranica u boji bez zamene mastila.¹ To zna i da je intervencija korisnika mala, ime se pove ava produktivnost.

Tehnologija Precision Core bez toplote

Zahvaljuju i Epson tehnologiji bez toplote, ure aj ne zahteva toplotu da bi se zagrejao nakon uklju ivanja ili bu enja, što znatno smanjuje potrošnju energije, a samim tim šteti novac. To isto zna i da je kod inkdžet štampa a sa tehnologijom bez toplote kompanije Epson brzina štampanja prve stranice (FPOT) velika u odnosu na laserske štampa e kod kojih je potrebno zagrevanje fjuzerske jedinice da bi mogli da štampaju i ona iznosi 5,5 sekundi.

Poboljšajte funkcionalnost sa internim rešenjima (EDA, EPA) i rešenjima druge kompanije (Open Platform)

Uz ure aje kompanije Epson i rešenja njenih partnera imate potpunu kontrolu nad štampanjem, što omogu uje ure ajima da ispune specifi ne i promenljive zahteve u pogledu poslovanja.

Epson Remote Services (ERS)

Naš sistem nadzora nad ure ajima i upravljanja njima u kladu pomaže pružaocima usluga da obavljaju preciznu dijagnostiku na daljinu bez ugrožavanja bezbednosti. Ugra eni agent na ure aju WF-C878R omogu ava jednostavno povezivanje i upotrebu.

GLAVNE OSOBINE

- **Velika pouzdanost**
Uz mali broj pokretnih delova i intervencija korisnika pove avate produktivnost štampa a
- **Veliki obim štampe**
Odštampajte do 20.000 stranica bez zamene potrošnog materijala¹
- **Mala potrošnja energije**
Epson tehnologija bez toplote ne koristi toplotu, ime se smanjuje potrošnja energije
- **Epson Remote Services**
Napredna dijagnostika Epson štampa a i multifunkcionalnih štampa a u kladu.

SPECIFIKACIJE PROIZVODA

TEHNIKA

Printing Method	PrecisionCore™ Print Head
Konfiguracija sapnica	800 Sapnice, crno, 800 Sapnice po boji
Minimalna veli ina kapljice	4,6 pl, With Variable-Sized Droplet Technology
Tehnologija tinte	Replaceable Ink Pack System (RIPS)
Snaga	Srednja radna grupa, Odeljenje
Više funkcija	Print, Skeniranje, Kopija, Fax

PISANJE

Vreme do prve strane	Monohrom 5,5 Sekunde, Colour 5,5 Sekunde
Brzina štampanja ISO/IEC 24734	25 Pages/min Monohrom, 24 Pages/min Colour
Duplex Printing Speed ISO/IEC 24734	17 A4 Pages/min Monohrom, 16 A4 Pages/min Colour
Brzina štampanja ISO/IEC 24734 (A3)	13 Pages/min Monohrom, 13 Pages/min Colour
Duplex Printing Speed ISO/IEC 24734 (A3)	11 A4 Pages/min Monohrom, 11 A4 Pages/min Colour
Maximum Printing Speed	35 Pages/min Colour (plain paper 75 g/m ²), 35 Pages/min Monohrom (plain paper 75 g/m ²)
Rezolucija štampanja	4.800 x 1.200 DPI
Volumen štampanja	75.000 Pages per month Maksimalan broj odštampanih stranica na mese nom nivou prema performansama štampa a, uklju uju i brzinu štampanja prema ISO standardu i mogu nosti upravljanja papirom.
Recommended Duty Cycle	2.000 - 10.000 Pages per month
Boje	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SKENIRANJE

Double-sided scanning	Da
Single-sided scan speed (A4 black)	25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan
Doubled-sided scan speed (A4 black)	200 dpi (with ADF); , 45 ipm with ADF scan
Single-sided scan speed (A4 colour)	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan
Doubled-sided scan speed (A4 colour)	200 dpi (with ADF); , 45 ipm with ADF scan
Scanning Speed	25 ipm (Monochrome, Single-sided, 200 dpi, ADF); 25 ipm (Colour, Single-sided, 200 dpi, ADF); 45 ipm (Monochrome, Double-sided, 200 dpi, ADF); 45 ipm (Colour, Double-sided, 200 dpi, ADF);
Rezolucija skeniranja	600 DPI x 600 DPI (vodoravno x uspravno)
Optical Resolution (ADF)	600 DPI x 600 DPI (vodoravno x uspravno)
Napredna integracija dokumenata	Scan to E-mail, Skeniranje za FTP, Skeniranje za mrežni direktorij, Scan to USB, Computer (Epson Document Capture Pro), Microsoft SharePoint with Epson Document Capture Pro, USB Memory Device / Card
Izlazni formati	Skeniranje u JPEG, Skeniranje u TIFF, Skeniranje u PDF
Tip skenera	Senzor za prepoznavanje slike (CIS)

WorkForce Pro WF-C878RDWF

OBIM ISPORUKE

- Quick Setup Guide
- Glavni ure aj
- Dokumentacija garancije
- Uputstvo za upotrebu (CD)
- Strujni kabl
- Ladic a za papir
- Initialization Ink Supply Units

SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C878RDWF

SLANJE FAKSA

Type of fax	Walk-up black and white and colour fax capability
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITTU/ITU Group3 fax with Error Correction Mode
Fax speed dials (max)	2.000 names and numbers
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Funkcije faksa	Slanje faksa preko PC-a, Faks na e-mail, Primanje i memorisanje, Auto Redial, Brzi izbor, Fax to Folder, Address Book

COPY

Copy Speed	do 22 ipm Black, do 21 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 % Auto fit function
Maximum number of copies	999
Maximum Copy Size	A3

CONNECTIVITY

Protokoli za mrežno štampanje	LPR, IPP, Port 9100, WSD, IPPS, Bonjour/Airprint
Protokoli za upravljanje mrežom	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, SNMP 2.0c, SNMP 3.0, SNMP Trap
Mrežni protokol	IPv4, IPv6
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP
Priklju ci	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Tip A (2x), Wireless LAN IEEE 802.11a/b/g/n, USB 3.0 Type B
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocol	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

SPECIFIKACIJE PAPIRA I SENZORI

Formati papira	A4 (21.0x29,7 cm), A5 (14,8x21,0 cm), A6 (10,5x14,8 cm), B5 (17,6x25,7 cm), C4 (Envelope), C6 (koverta), No. 10 (koverta), Pismo, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, Pravne informacije, A3 (29,7x42,0 cm), B4 (25,7x36,4 cm), B6 (12,5x17,6 cm), C5 (koverta), DL (koverta), HLT, EXE, Tabloid, A3+
Automatsko uvla enje dokumenta	50 Stranice
Odgovaraju a težina papira	64 g/m ² - 300 g/m ²
Dvostrano	Da
Standard Paper input	335 Sheets Standardno, 85 Sheets MP tray, 250 Sheets paper tray
Kapacitet spremnika za izdavanje papira	250 Sheets
Kapacitet spremnika za papir	250 Sheets Standardno, 1.835 Sheets maksimalno
Standard paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray, Cabinet
Maximum paper input	1.835
Rear paper path (special media)	Da
Broj ladica za papir	4

PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, Tabloid
Custom sizes	Min 55x 330 mm to Max 127x 1.200 mm
Compatible paper weight	64 g/m ² - 300 g/m ²
Paper Capacity 1	85 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-C878RDWF

PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, A5, A6, B4, B5, B6, Letter
Compatible paper weight	64 g/m ² - 200 g/m ²
Paper Capacity 1	250 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid
Compatible paper weight	64 g/m ² - 90 g/m ²

OP ENITO

Potrošnja energije	42 W (standalone copying, ISO/IEC 24712 pattern), TEC 0,21 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Dimenzije	621 x 652 x 641 mm (Širina x Dubina x Visina)
Težina	63,4 kg
Kompatibilni operativni sistemi	Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP x64, Windows Server 2003 R2
Ja ina buke	Rad: 6,6 B (A)
Pritisak buke	Rad: 51 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Google Cloud Print
Snabdevanje strujom	100V, 110V, 220V, 240V

ADDITIONAL FEATURES

Funkcije	Dodirni ekran, Direct scan-to-print without PC, Direct print from USB
LC displej	Tip: Obojeni, Dodirni ekran, Dijagonala: 12,7 cm
Obrada medija	Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

OSTALE FUNKCIJE

Emulacije	PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3
-----------	----------------------------------------------------

OSTALI

Garancija	12 Meseci On site service Optional warranty extension available
-----------	--------------------------------------------------------------------

POTROŠNI MATERIJAL

● Maintenance box	C13T671400	
● WorkForce Pro WF-C87xR Black XL Ink Supply Unit	C13T05A100	20.000 pages
● WorkForce Pro WF-C87xR Cyan XL Ink Supply Unit	C13T05A200	20.000 pages
● WorkForce Pro WF-C87xR Magenta XL Ink Supply Unit	C13T05A300	20.000 pages
● WorkForce Pro WF-C87xR Yellow XL Ink Supply Unit	C13T05A400	20.000 pages
● Optional Cassette Maintenance Roller	C13S210049	200.000 pages
● Standard Cassette Maintenance Roller	C13S210048	200.000 pages
● Business Paper - A4 - 500 Sheets	C13S450075	
● Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets	C13S400059	

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette
C12C932611
- Card Reader Holder
C12C932921
- WF-C878R/WF-C879R Printer Stand
C12C934321
- Retractable output tray
C12C934171

INFORMACIJE O LOGISTICI

SKU	C11CH60401
Šifrirane trake	8715946672878
Zemlja porekla	Indonesia



EWE COMP d.o.o.
Cara Dusana 212, Zemun
Tel: +381 11 3535 500
www.ewe.rs

ATOM PARTNER d.o.o.
Sindjeliceva 9, Beograd
Tel: +381 11 2090804
www.atompartner.com

Robne marke ili registrovane robne marke vlasništvo su Seiko Epson Corporation ili njihovih odgovaraju ih vlasnika.
Informacije o proizvodu podložne su promenama bez prethodne najave.

1. Približan obim štampe na ure aju WF-C878R. Stvaran broj odštampanih stranica zavisi od slika koje se štampaju i uslova koriš enja. Dodatne informacije potražite na adresi www.epson.eu/pageyield.

EPSON®