HP Color LaserJet Pro MFP 4303fdn Printer



Colorful productivity. Seamless set up

Get blazing fast color printing, reliable hardware, and easy, secure remote management.



Highlights

- Fast print speed (33 ppm A4)
- · HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- 50 sheet ADF with single-pass, two-sided scanning



Maximum color performance for the large workteam

- Support your dynamic workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Look professional on every page with high-quality printing, true-to-life colors and sharp details. ¹⁴

Get more done with smart productivity features ¹

- The ultimate document workflow management app for today's flexible-working small-tomedium sized businesses.
- Automate to accomplish more. Simple shortcuts enable your people to complete multistep tasks with just a touch.
- Seamless connectivity so you can print from anywhere, any device on any network.
- Get productivity in the palm of your hand. Print, scan and get time-saving Shortcuts with HP Smart app. $^{\rm 1}$

Set up and manage from a single dashboard ²


- Connect your printer fleet. Robust features and smart tools help your people do more, wherever work happens.
- \bullet Centralize your print business. HP Web Jetadmin easily adds and updates devices, solutions, and policies. 3
- Centralize your print business. HP Web Jetadmin easily adds and updates devices, solutions, and policies.³

Advance your security with HP Wolf Pro

- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Validate before you operate. Secure setup uses boot code signature before powering on.
- Get ahead of potential security risks. Routine updates help you stay resilient against the latest threats.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.

Product walkaround

- 1. Automatic 2-sided printing and scanning
- 2. Print speeds up to 33 ppm A4, 300-sheet standard paper capacity
- 3. 4.3-inch color touchscreen
- 4. High-Speed USB ports, built-in fast Ethernet
- 5. Pre-configured security settings
- 6. HP Smart app for productivity in your hand
- 7. Designed for workteams of up to 10 users
- 8. More true-to-life colors with HP TerraJet Toner
- 9. Walk-up USB print and scan



Accessories, Supplies and Support

Supplies	W8000J HP 210/220/230 Instant Ink Toner Welcome Kit
	W8001J HP 210/220/230 Instant Ink Toner Welcome Kit
	W8002J HP 210/220/230 Instant Ink Toner Welcome Kit
	W8003J HP 210/220/230 Instant Ink Toner Welcome Kit
Accessories	28N93A HP Color LaserJet 550 Sheet Paper Tray
Service and Support	U51Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x U51ZCPE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x

Technical specifications

Model	HP Color LaserJet Pro MFP 4303fdn Printer
Product number	SHH66A
Functions	Print, copy, scan, fax
Control panel	4.3" Capacitive touchscreen (all input functions)
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
First page out	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.5 sec; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec
Print resolution	Black (best): Up to 600 x 600 dpi Colour (best): Up to 600 x 600 dpi (Colour (best): Up to 600 x 600 dpi (Technology: HP ImageREt 2400, PANTONE® calibrated
Monthly duty cycle ⁷	Up to 50,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office, TIFF, JPEG
Fonts and typefaces	111 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Right: 4.23 mm, Right: 4.23 mm; Maximum print area: 212 x 352 mm
Duplex printing Automatic Const.	
Сору	
Copy speed	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
Copier specifications	ID Copy, Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality (Draft/Standard/Best); Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 29 ppm, up to 26 ppm; Duplex (A4): Up to 44 ipm (b&w), up to 35 ipm (color)
Scan file format	PDF: JPG; TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3;
	Duplex ADF scanning: Yes; Optical scan resolution: Up to 600 dpi
Recommended monthly scan volume	750 to 4000
Scannable area	Maximum media size (flatbed): 216 x 297 mm :Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	30-bit / 256
Fax	30-30-30-30-30-30-30-30-30-30-30-30-30-3
Fax	Yes, 33.6 kbps
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 100 numbers
Processor speed	1200 MHz
Connectivity	1200 (11)2
Mobile printing capability	HP Smart App; Apple AirPrint™, Mopria™ Certified; HP Smart App and other mobile Apps
	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (DHCP, AutolP,
Supported network protocols	Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management; SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM
Media handling	
Media handling Number of paper trays	Standard: 2 ;Maximum: 3
	Standard: 2 ;Maximum: 3 Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Number of paper trays	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4;
Number of paper trays Media types Media size	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
Number of paper trays Media types Media size Media handling	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray
Number of paper trays Media types Media size Media handling Media weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metrid): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Number of paper trays Media types Media size Media handling Media weight Input capacity	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metrid: Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metrid): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metrid): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client 05; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76,2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; 105; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm aDF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client 05; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional S50-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://fbz.com ht
Number of paper trays Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional S50-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://fbz.com ht
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76,2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://123.hp.com; HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator)
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H)	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://123.hp.com; HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3)
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 70; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://lp.com/
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76,2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac05 12 Monterey; mac05 11 Big Sur; mac05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://fb.com http://fb.com http://fb.com/ttp://fb.c
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet turbulpurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray) 60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; IOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://np.com http://123.hp.com; HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: 20 to 40°C Acoustic power emissions: 6.18(A) Acoustic pressure emissions: 50 dB(A)
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, precycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray 60 to 163 yfm² (up to 176 yfm² postcards, up to 200 yfm² HP Color laser glossy photo papers) Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) **Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: -20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A)
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁵	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 356 mm; Duplex (all trays): 149 x 148 x 148 mm to 216 x 148 x 148
Number of paper trays Media types Media types Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (nettro): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; Opplex (all trays): 148 x 148 mm to 216 x 356 mm ADP: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADP: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADP: Letter; Legal; A4; destroyed to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input:
Number of paper trays Media types Media types Media size Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶ Power ⁵ Energy savings feature technology	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric) Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm, Tray 2: 98 x 148 mm to 216 x 356 mm, optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 100 x 150 cm 1
Number of paper trays Media types Media types Media handling Media weight Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶ Power ⁵ Energy savings feature technology	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprieted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric) Simplex Fray 1: 762 x 127 to 216 x 356 mm, Tray 2: 98 x 148 mm to 216 x 356 mm, colored from the colored fray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter; Legal; A4; custom sizes 100 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional Is50-sheet tray 60 to 133 g/m² (bp 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers) Tray 1: Sheets 50; envelopes 5 Tray 2: Sheets: 250 methologise 10 Tray 3: Sheets: 500 Membrane 10 to 150 sheets Five 10 to 150 sheets Envelopes Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 10; Windows 10; Windows 7; Windows Gleen OS; Android; IOS; max COS 12 Monterey; max COS 11 Big Sur; max COS 10.15 Cataline; Linux; Citrix; Chrome OS; Mobile OS SAP, Novell; LINDS; Citrix; Linux; Windows Server Windows 26 da available hard disk space, Internet connection or USB port, Internet browser, For additional OS hardware requirements see microsoft.com; Maz 2 da available hard disk space, Internet connection or USB port, Internet browser, For additional OS hardware requirements see microsoft.com; No software solutions are included in the Box only on http://pi.com http://rcs.am.net/pi.com.net/pi.
Number of paper trays Media types Media size Media handling Media weight Input capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics ⁶ Power ⁵ Energy savings feature technology Certifications ²	Paper Bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes Custom (metric): Simplex fray 1: 76.2 x 127 to 21 k 356 mm; Tay 3: 98 x 148 mm to 216 x 356 mm; opinional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; Duplex (all trays)

Footnotes

- 1 Requires HP app download available at www.hp.com/qo/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.
- ² Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart
- ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 6 Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting.
- ⁷ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- 12 Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP Terralet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions.
- 13 HP calculations based on Energy Star® normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.
- ¹⁴ Standard print mode for HP Color Laser Jet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJetcolors.

Technical specifications disclaimers

- ¹ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result. Please be aware that HP LaserJet Pro 4201 and MFP 4301 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4203 and MFP 4303 series meet ecolabel energy
- ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 ³ Please be aware that HP Color LaserJet Pro 4201 and MFP 4301 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP Color LaserJet Pro 4203 and MFP 4303 series meet ecolabel energy efficiency limits. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁵ Values based on 115V test results based on ES test method.
- $^{\rm 6}$ Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.
- Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

