

WorkForce Pro EM-C800RDF



DATASHEET / BROCHURE



WorkForce Pro EM-C800RDF je „4 u 1“ štampa velikog kapaciteta sa mogu noš u skeniranja i kapacitetom do 1830 listova.

RIPS inkdžet štampa EM-C800RDF nudi rešenje za efikasno, neometano štampanje velikog obima bez zamene potrošnog materijala. Uz besprekornu integraciju (sa rešenjima tre ih lica), malo zauze e radne površine i mali ukupni trošak vlasništva (TCO), idealan je za sva preduze a. Zbog male potrošnje energije¹, brzog štampanja prve strane (FPOT)² i brzine štampanja od 25 str/min³ odli an je za kancelarijska okruženja.

Visoka produktivnost, retke intervencije

Brzo štampanje prve strane (FPOT) od 4,8 sekundi u režimu pripravnosti² i dvostrano skeniranje u jednom prolazu pove avaju produktivnost. Odštamajte do 50.000 crno-belih i 20.000 strana u boji bez zamene potrošnog materijala⁴. Kapacitet papira do 1830 listova (3 opcione kasete od 500 listova) zna i da se manje vremena troši na dopunjavanje papira. Brzina štampanja od 25 str/min³ i brzina dvostranog skeniranja od 60 sl/min ine ga idealnim za širok spektar primena: od zdravstva do obrazovanja.

Tehnologija štampanja bez zagrevanja

Model EM-C800RDF je izra en tako da bude efikasan i zato troši malo energije¹. Ako se prebacite na tehnologiju štampanja bez toplote, koja ne koristi toplotu u procesu izbacivanja mastila, možete da štedite energiju i vreme i smanjite intervencije¹.

Niski operativni troškovi

Visoki prinosi mastila smanjuju potrebu za estim naru ivanjem i zamenom potrošnog materijala⁴, pomažu u pružanju predvidivih troškova štampanja i konkurentne ukupne cene posedovanja. Niži troškovi servisiranja i intervencije ine ga pouzdanim i atraktivnim izborom za preduze a. Mala potrošnja energije donosi preko potrebne uštede¹.

Rešenja stvorena za poslovanje

Epson Solutions Suite osigurava vaše radne procese, bezbednost, upravljanje voznim parkom i usluge na daljinu. Lako daljinsko dijagnostikovanje uz Epson Remote Services, Epson Print Admin (EPA) koji pomažu u ispunjenju vaših zahteva za bezbednost štampanja dodatno pove ava funkcionalnost.

GLAVNE OSOBINE

- **Visoka produktivnost, retke intervencije**
Brzina štampanja 25 str/min³, brzina dupleks skeniranja 60 sl/min i brzi FPOT od 4,8 s²
- **Efikasan i kompaktn „4 u 1“ štampa formata A4**
Ekran u boji od 10,9 cm i osetljiv na dodir, automatsko uvla enje dokumenata, funkcije štampanja, kopiranja, skeniranja i faksa
- **Uštedite na troškovima**
Niska ukupna cena posedovanja i ušteda energije uz Epson tehnologiju štampanja bez zagrevanja¹
- **Predvi en za preduze a**
Kompaktan, sa crnim mastilom koje može odštampati 50.000 strana⁴ i maksimalnim kapacitetom od 1.830 listova
- **Epson Solutions Suite**
Besprekorna integracija sistema i sloboda rada bilo gde

EPSON[®]

SPECIFIKACIJE PROIZVODA

TEHNIKA

Metoda štampanja	PrecisionCore™ Micro TFP glava za štampanje
Konfiguracija sapnica	800 Sapnice, crno, 800 Sapnice po boji
Minimalna veli ina kapljice	3,8 pl, With Variable-Sized Droplet Technology
Tehnologija mastila	DURABrite™ Ultra, Sistem zamenljivog pakovanja mastila (RIPS)
Snaga	Srednje velika delovna skupina
Više funkcija	Print, Skeniranje, Kopija, Fax

ŠTAMPANJE

Broj boja	4 boje
Vreme do prve strane	Monohrom 4,8 Sekunde, Colour 5,3 Sekunde
Brzina štampanja ISO/IEC 24734	25 Pages/min Monohrom, 25 Pages/min Colour
Brzina dvostrane štampe ISO/IEC	16 A4 Pages/min Monohrom, 16 A4 Pages/min Colour
Maximum Printing Speed	34 Pages/min Monohrom (plain paper 75 g/m ²), 34 Pages/min Colour (plain paper 75 g/m ²)
Rezolucija štampanja	4.800 x 1.200 DPI
Volumen štampanja	70.000 Pages per month Maksimalan broj odštampanih stranica na mese nom nivou prema performansama štampa a, uklju uju i brzinu štampanja prema ISO standardu i mogu nosti upravljanja papirom.
Preporu eni radni ciklus	500 - 5.000 Pages per month
Boje	Black, Cyan, Yellow, Magenta
Štampajte sa	PC, MAC, Network, Mobile Device, USB, Cloud, PC (Wired), PC (Wireless), Mobile Device (WiFi Direct)

Detaljne informacije o brzinama štampanja potražite na <http://www.epson.eu/testing>.

SKENIRANJE

Scanning Speed	30 ipm (Monochrome, Single-sided, 200 dpi, ADF); 30 ipm (Colour, Simplex, 200 dpi, ADF); 60 ipm (Monochrome, Double-sided, 200 dpi, ADF); 60 ipm (Colour, Double-sided, 200 dpi, ADF); 5 sec/page (Monochrome, Single-sided, 200 dpi, Flatbed); 5 sec/page (Colour, Single-sided, 200 dpi, Flatbed);
Rezolucija skeniranja	1.200 DPI x 2.400 DPI (vodoravno x uspravno)
Optical Resolution (ADF)	1.200 DPI x 2.400 DPI (vodoravno x uspravno)
Napredna integracija dokumenata	Scan to E-mail, Skeniranje za FTP, Skeniranje za mrežni direktorij, Ra unar (Epson Document Capture Pro), USB memorijski ure aj/kartica
Izlazni formati	Skeniranje u JPEG, Skeniranje u TIFF, Skeniranje u multi-TIFF, Skeniranje u PDF, PDF/A, JPEG(Colour/Greyscale)
Tip skenera	Senzor za prepoznavanje slike (CIS)
Optical Resolution	1.200 DPI x 2.400 DPI (vodoravno x uspravno)

WorkForce Pro EM-C800RDWF

OBIM ISPORUKE

- Initialization Ink Supply Units
- Strujni kabl
- Uputstvo za postavljanje

SPECIFIKACIJE PROIZVODA

WorkForce Pro EM-C800RDWF

SLANJE FAKSA

Vrsta faksa	Štampanje faksova crno-belo i u boji
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page
Error correction mode	CCITU/ITU Group3 faks sa režimom korekcije greške
Slanje faksa pomo u brzog biranja (maks.)	2.000 imena i brojevi
Memorija stranice	Up to 550 pages/ 6MB (ITU-T No. 1 chart)
Funkcije faksa	Slanje faksa preko PC-a, Faks na e-mail, Primanje i memorisanje, Auto Redial, Brzi izbor, Fax to Folder, Address Book, Broadcast Fax, Fax Preview

COPY

Copy Speed	do 22 ipm Black, do 22 ipm Colour *Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 %
Maximum number of copies	999
Maximum Copy Size	A4

CONNECTIVITY

Protokoli za mrežno štampanje	LPR, IPP, LDP, Port 9100, WSD, TCP/IPv6, IPSec, IPPS, Bonjour/Airprint, SMB 2.0, SMB 3.0
Protokoli za upravljanje mrežom	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SLP, WSD, LLTD, Ping, SMTP, TCP/IPv4, TCP/IPv6, IPSec, IEEE 802.1X, DCHP, HTTPS, LDAP, SNMP 2.0c, SNMP 3.0
Mrežni protokol	HTTPS, IPv4, IPv6, SNMP
Network Scanning Protocols	WSD-Scan, Bonjour/Airprint, FTP, SMB 2.0, SMB 3.0
Priklju ci	USB velike brzine – kompatibilan sa specifikacijom USB 2.0, Ethernet interfejs (1000 Base-T/100-Base TX/10-Base-T), Beži ni LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES), WPA3-SAE(AES)
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

SPECIFIKACIJE PAPIRA I SENZORI

Formati papira	A4 (21.0x29,7 cm), A5 (14,8x21,0 cm), A6 (10,5x14,8 cm), B5, B6, C4 (Envelope), C6 (koverta), DL (koverta), No. 10 (koverta), Pismo, Pravne informacije, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, EXE, Definisano od strane korisnika
Automatsko uvla enje dokumenta	Standard (ugra en)
Odgovaraju a težina papira	64 - 300g/m ²
Dvostrano	Da
Standard Paper input	250 Sheets Standardno, 80 Sheets MP tray
Kapacitet ADF-a	150 Sheets
Paper Tray Capacity	330 Sheets Standardno, 1.830 Sheets maksimalno
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	3 x 500 sheet paper tray
Maximum paper input	1.830
Broj fioka za papir	2

PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 16:9, Legal, Executive
Custom sizes	Min 64x 127 mm to Max 215,9x 6.000 mm
Compatible paper weight	64 g/m ² - 300 g/m ²
Paper Capacity 1	80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, 80gsm
Paper Capacity 2	Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

SPECIFIKACIJE PROIZVODA

WorkForce Pro EM-C800RDWF

PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, A5, A6, B5, B6, C4 (Envelope), C6 (Envelope), DL (Envelope), No. 10 (Envelope), Letter, HLT, Executive
Custom sizes	Min 89x 127 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m ² - 160 g/m ²
Paper Capacity 1	250 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C2

Paper Input Name	C2
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 100x 148 mm to Max 215,9x 355,6 mm
Compatible paper weight	64 g/m ² - 160 g/m ²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m ² - 160 g/m ²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead

OPŠTE INFORMACIJE

Potrošnja energije	30 W (standalone copying, ISO/IEC 24712 pattern), 1,1 W (sleep mode), 13,8 W Spreman, 0,2 W (isklju iti), TEC 0,18 kWh/week
Priklju ak	AC 100 V - 240 V, 50 Hz - 60 Hz
Dimenzije	425 x 535 x 413 mm (Širina x Dubina x Visina)
Težina	21,3 kg
Kompatibilni operativni sistemi	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS 10.14. x, Mac OS 10.15. x, Mac OS 11. x, Mac OS 12. x, Mac OS X 10.11.x, Mac OS X 10.11. x ili noviji, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.9.5 or later, SAP, Windows 10 (32/64 bit), Windows 11, Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
Sadržani softver	Epson Scan 2
Ja ina buke	Rad: 6,5 B (A)
Pritisak buke	Rad: 51 dB (A)
Štampanje sa mobilnog ure aja i iz oblaka	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint, Mopria, Epson Smart Panel App
Snabdevanje strujom	220V, 240V

ADDITIONAL FEATURES

Memorija	3.072 MB
Funkcije	Dodirni ekran, Direktno štampanje, Direktno štampanje sa USB-a
LC displej	Tip: Obojeni, Dodirni ekran, Dijagonala: 10,9 cm
Obrada medija	Automatsko dvostrano štampanje (A4, obi an papir), Automatic duplex (A4, plain paper), Uspravno i položeno štampanje, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode

OSTALE FUNKCIJE

Emulacije	PCL5c, PCL6, ESC/P-R, PostScript 3, PDF 1.7
Security	TLS, TLS V1.2, TLS V1.3, SSL, IEE 802, SNMP V3, IPsec, IPv6, HTTPS, WPA2, WPA3, PIN code Release, LDAP, IEEE802, SSL/TLS, Panel Admin Mode

POTROŠNI MATERIJAL

● WorkForce Pro EM/EP-C800R Black XXL Ink	C13T11P140	50.000 strane
● WorkForce Pro EM/EP-C800R Cyan XXL Ink	C13T11P240	20.000 strane
● WorkForce Pro EM/EP-C800R Magenta XXL Ink	C13T11P340	20.000 strane
● WorkForce Pro EM/EP-C800R Yellow XXL Ink	C13T11P440	20.000 strane
● WorkForce Pro EM/EP-C800R Black XL Ink	C13T11N140	10.000 strane
● WorkForce Pro EM/EP-C800R Cyan XL Ink	C13T11N240	5.000 strane
● WorkForce Pro EM/EP-C800R Magenta XL Ink	C13T11N340	5.000 strane
● WorkForce Pro EM/EP-C800R Yellow XL Ink	C13T11N440	5.000 strane

WorkForce Pro EM-C800RDFW

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette Unit for 58xx/53xx
C12C937901
- 58xx/53xx Series Maintenance Box
C12C938211
- Paper Feed Roller for Cassette A (58XX/53XXSeries)
C12C938261
- Paper Feed Roller for Cassette B (58XX/53XXSeries)
C12C938281
- Authentication Device Table-P2
C12C939531

INFORMACIJE O LOGISTICI

SKU	C11CK19401
Šifrirane trake	8715946715797
Zemlja porekla	Indonesia
Veli ina palete	2 Komad



EWE COMP d.o.o.
Cara Dusana 212, Zemun
Tel: +381 11 3535 500
www.ewe.rs

ATOM PARTNER d.o.o.
Sindjeliceva 9, Beograd
Tel: +381 11 2090804
www.atompartner.com

Robne marke ili registrovane robne marke vlasništvo su Seiko Epson Corporation ili njihovih odgovaraju ih vlasnika. Informacije o proizvodima podložne su promenama bez prethodne najave.

1. Za više informacija posetite epson.rs/heat-free-technology.
- 2.
3. Vreme od prijema podataka za štampanje do izlaska cele prve strane. Detaljne informacije o brzinama štampanja potražite na www.epson.rs
- 4.
5. Produktivnost je određena u skladu sa standardom ISO 24734, uz korišćenje podrazumevanih podešavanja. ESAT prosek iz testa kategorije za kancelarijsku upotrebu. Kompletan izveštaj sa svim informacijama možete dobiti u lokalnom predstavništvu kompanije Epson.
- 6.
7. Približan obim štampe. Stvaran broj odštampanih strana zavisi od slika koje se štampaju i uslova korišćenja. Dodatne informacije potražite na adresi www.epson.eu/pageyield

EPSON[®]