D-Link®



Covr your whole home in Seamless Wi-Fi











AC1200 Dual Band Whole Home Wi-Fi System

Features

Whole Home Coverage

- Smart Steering automatically directs your devices to the optimal wireless band
- Three Covr Points for more coverage
- Smart Roaming seamlessly connects you to the strongest signal as you move from room to room

Performance and Connectivity

- Dual-band Wireless AC Wave II up to 1200 Mbps1
- Wi-Fi MU-MIMO² technology creates a powerful, fast, and highly efficient Wi-Fi network
- Two Gigabit Ethernet LAN ports per unit to give you high-speed wired connectivity

Setup and Management

- Configure your network using the free D-Link Wi-Fi mobile app or the easy-to-use web-based interface
- Intuitive setup wizard to guide you through the configuration process
- Effortless Plug and Play setup

Introducing the COVR-C1203 AC1200 Dual Band Whole Home Wi-Fi System, the seamless Wi-Fi solution that's the perfect fit for your modern home. It features three high-performance Covr Points that blanket every square inch of your home with high-speed AC1200 dual-band Wi-Fi as well as two on-board Gigabit Ethernet ports (per unit) for wired connectivity. With Covr, you enjoy Wi-Fi that's stable, consistent, and truly seamless. With COVR-C1203, D-Link has got you Covr'd.

Covr Your Whole Home With One Seamless Network

Gone are the days of only being able to use Wi-Fi in certain areas of your home. Thanks to revolutionary Smart Roaming technology, the Covr AC1200 Dual Band Whole Home Wi-Fi System continually scans the wireless signal strength to your devices, automatically connecting them to the strongest signal available. The Covr AC1200 Dual Band Whole Home Wi-Fi System handles the transfer seamlessly, allowing you to walk from room to room without experiencing dropped VoIP calls or frozen video streams. Unlike other whole home Wi-Fi systems that use only 2 receiving antennas, Covr has 3 receiving antennas to detect and receive more data from all your devices. You enjoy seamless connectivity no matter where you are in the house. Covr ensures your entire home is covered by a single, seamless network using a single network name (SSID), making interrupted connections, drop-outs, and dead spots things of the past.

High-Speed Wired and Wireless Connectivity

With COVR-C1203 you can bring the full potential of Wireless AC speeds of up to 1200 Mbps¹ to any area in your home, including dead spots. Each Covr Point creates its own exclusive high-speed Wi-Fi zone for communication with your wireless devices, allowing you to fully experience demanding multimedia applications from anywhere in your home. In addition, Gigabit Ethernet ports give you solid, dependable wired performance for devices such as Network Attached Storage (NAS), media centers, and gaming consoles.





MU-MIMO and Smart Steering Technology

The Covr AC1200 Dual Band Whole Home Wi-Fi System features multi-user multiple input, multiple output (MU-MIMO) Wi-Fi, which transmits multiple separate data streams to each wireless devices simultaneously to increase speed and efficiency². Enjoy increased throughput and seamless high-definition streaming media, Internet phone calls, online gaming, and content-rich web surfing throughout your entire home or office with Covr.

Additionally, each Covr Point is equipped with dual-band radios and intelligent band steering. Don't worry if you don't know your 2.4G from your 5G, Covr automatically places your device on the optimal wireless band depending on network traffic conditions. With Covr, this happens seamlessly without dropouts, lag, or interruption to your wireless connection, and most importantly: without you ever lifting a finger.

Easily Set Up and Expand Your Network

The Covr AC1200 Dual Band Whole Home Wi-Fi System provides you with a home network solution that is quick and easy to set up. The Covr Points work straight out of the box, so you just need to plug them in and get started. Configure your network in no time with the free D-Link Wi-Fi app on your Android or iOS mobile device, or using the intuitive web-based interface. Covr is also a scalable solution: extra Covr Points can easily be added and synced to increase the reach of your network. Not enough coverage upstairs or in the back room? Scale up your Wi-Fi by adding another Covr Point to get true whole-home coverage.


Connecting wireless devices to your Covr network is also a snap thanks to the Wi-Fi Protected Setup (WPS) button, which establishes an instant connection to new devices without the need to enter settings or create passwords.





Covr Point

Top View








Covr Point

Rear View








Covr Point

Bottom View





General		
Device Interfaces (per unit)	• IEEE 802.11 ac/n/g/a wireless WAN	• 2 x Gigabit LAN ports
LEDs	COVR Status LED	
Antenna Type	• 3 x internal antennas	
Data Signal Rate	 2.4 GHz Up to 300 Mbps¹ 5 GHz Up to 866 Mbps¹ 	Ethernet 10/100/1000 Mbps (auto-negotiation)
Standards	IEEE 802.3i IEEE 802.3u IEEE 802.3ab Supports auto-negotiation Supports auto-MDI/MDIX	• IEEE 802.11ac Wave II • IEEE 802.11n • IEEE 802.11g • IEEE 802.11a
Functionality		
Wireless Encryption	• 128-bit AES data encryption	WPA/WPA2 wireless encryption
Advanced Features	Covr Wi-Fi Auto-configuration Wireless roaming Wireless band steering Wireless Air Time Fairness (ATF)	 Web-based setup wizard Quality of Service (QoS) MU-MIMO (Wi-Fi)² Single button Wi-Fi Protected Setup (WPS)
Physical		
Dimensions (L x W x H)	• 109 x 117 x 51 mm (4.29 x 4.61 x 2.01 in)	
Weight (per unit)	• 250 g (0.55 lbs)	
Power Input	• 100 V to 240 V/AC, 50/60 Hz	
Power Consumption	• 3.5 W	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 70 °C (-4 to 158 °F)
Humidity	Operating: 10% to 90% non-condensing	Storage: 5% to 90% non-condensing
Certifications	• FCC • CE • IC • RCM • IDA	• CB • RoHS • UL • ErP
Warranty		
Warranty	• 3-Year Limited Warranty ³	

Order Information		
Part Number	Description	
COVR-C1203	AC1200 Dual Band Whole Home Wi-Fi System (3-Pack)	

¹ Maximum wireless signal rate derived from the IEEE 802.11ac and 802.11n standards specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.

Updated 03/02/2018

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com



² Multi-User MIMO (MU-MIMO)-enabled clients needed for optimal performance.

³ 3-Year Limited Warranty available in the USA at http://support.dlink.com/warranty.